DialogWeb™

5/19/1 DIALOG(R)File 351:Derwent WPI (c) 2002 Thomson Derwent. All rts. reserv.

```
008640756
             1991-144786 /199120
WPI Acc No:
XRAM Acc No: C91-062504
 Acaricide for house ticks - contg. cinnamic alcohol,
  aldehyde or acid deriv. as active ingredient
Patent Assignee: DAINIPPON JOCHUGIKU KK (DAAE )
Number of Countries: 001 Number of Patents: 002
Patent Family:
                                                            Week
                                                   Date
                             Applicat No
                                            Kind
                     Date
Patent No
              Kind
                                                           199120 B
                                                 19890824
                                             Α
                             JP 89218381
                   19910405
JP 3081202
               Α
                                                  19890824
                  19980910 JP 89218381
                                             Α
               B2
JP 2796588
Priority Applications (No Type Date): JP 89218381 A 19890824
Patent Details:
                                     Filing Notes
                         Main IPC
Patent No Kind Lan Pg
                                     Previous Publ. patent JP 3081202
              Α
JP 3081202
                      6 A01N-037/10
              В2
JP 2796588
Abstract (Basic): JP 3081202 A
        An acaricide for house ticks contains, as an active ingredient, a
     cinnamic acid deriv. of formula (I). R1 is H or methyl; R2 is H or 1-8C
     alkyl; R is aldehyde, hydroxymethyl, 1-4C alkoxycarbonyl or 1-4C
     alkylcarboxymethyl. (I) is e.g. cinnamic aldehyde, cinnamic acetate,
     cinnamic alcohol, alpha-amylcinnamic aldehyde, ethyl cinnamate,
    alpha-hexylcinnamic aldehyde, p-methylmethyl cinnamate,
     m, alpha-dimethylcinnamic alcohol, alpha-ethylcinnamic butyrate,
     alpha-methylbutyl cinnamate, p-methylcinnamic aldehyde,
     alpha-methylcinnamic acetate, and m-methylcinnamic propionate.
          USE/ADVANTAGE - Acaricide for killing house ticks. (6pp
 Title Terms: ACARID; HOUSE; TICK; CONTAIN; CINNAMIC; ALCOHOL; ALDEHYDE;
     Dwg.No.0/0)
   ACID; DERIVATIVE; ACTIVE; INGREDIENT
 Derwent Class: C03; D22; E14
 International Patent Class (Main): A01N-037/10
 International Patent Class (Additional): A01N-031/04; A01N-035/02;
   A01N-037/02
 Manual Codes (CPI/A-N): C10-D01; C10-E04B; C10-F02; C10-G02; C12-B04; D09-B
    ; E10-D01D; E10-E04M1; E10-G02F
  Chemical Fragment Codes (M2):
    *01* G010 G011 G012 G013 G100 H401 H481 H7 H721 J011 J271 J471 M210 M211
         M212 M213 M214 M231 M232 M233 M240 M262 M272 M280 M281 M312 M313
         M314 M315 M316 M321 M332 M333 M342 M372 M373 M391 M414 M510 M520
         M531 M540 M781 M903 M904 P002 P331 P332 Q261 9120-67101-U
  Chemical Fragment Codes (M3):
    *01* G010 G011 G012 G013 G100 H401 H481 H7 H721 J011 J271 J471 M210 M211
         M212 M213 M214 M231 M232 M233 M240 M262 M272 M280 M281 M312 M313
         M314 M315 M316 M321 M332 M333 M342 M372 M373 M391 M414 M510 M520
         M531 M540 M781 M903 M904 P002 P331 P332 Q261 9120-67101-U
  Generic Compound Numbers: 9120-67101-U
```

Derwent WPI (Dialog® File 351): (c) 2002 Thomson Derwent. All rights reserved.

UU1433744 D1

WPI Acc No: 75-83685W/__7551

Moth-proofing agents - containing trioxanes as carrier for the active ingredient

Patent Assignee: OGAWA & CO LTD (OGAW)

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No Kind Date Applicat No Kind Date Main IPC Week JP50024436 A 19750315 197551 B

Priority Applications (No Type Date): 73JP-0066509 A 19730611

Abstract (Basic): JP 50024436 A

Moth-proofing agents wer prepd. from triisopropyl-s-trioxane (I) or tri-tert-butyl-s-trioxane as a carrier and > 1 linalool, anethole, methol, cinnamic aldehyde, thymol, and eugenol as active ingredients. In an example, a mixt. contg. linalool 15, linalool oxide 10, cinnamon oil 1, MeOAc 5, anethole 3, and perfume 66 parts was mixed with 10% I and made into tablets.

Title Terms: MOTH; PROOF; AGENT; CONTAIN; CARRY; ACTIVE; INGREDIENT

Derwent Class: C02

```
deriv...
   DC
        C03
         (THOR-I) THORSELL W
   PA
   CYC
                      A 19890513 (198946)*
   PΙ
        SE 8900902
                           19871112; SE 1989-902
                                                        19890314
   PRAI SE 1987-4416
        A01N031-06; A01N035-02
              8900902 A UPAB: 19930923
   AB
         The use of cinnamaldehyde (3-phenyl-2-propenal) alone or in conjunction with terpene cpds. as an insect repellant is new. The terpene
         cpds. are partic. dihydrocarveol (2-methyl-5-(1-methylethenyl)
         cyclohexanol) (A), dihydrocarvone (2-methyl-5-(1-methylethenyl)
         cyclohexanone) (B), piperitol (3-methyl-6-(1-methylethyl)
         -2-cyclohexen-1-ol) (C), piperitone (3-methyl-6-(1-methylethyl)-2-cyclohexen-1-one) (D), and isopulegol (5-methyl-2-(1-
         methylethenyl)cyclohexanol) (E) Cinnamaldehyde in formulations
         repelling ants, flies and ticks is partic. claimed.
            1967:83484 HCAPLUS
      AN
      DN
            66:83484
      TI
            Termite pheromones
            Becker, Guenther; Petrowitz, Hans J.
      AU
            Bundesanstalt Materialpruefung, Berlin, Ger.
      CS
      SO
            Naturwissenschaften (1967), 54(1), 16-17
            CODEN: NATWAY
      DT
            Journal
       LА
       CC
             9 (Nonmammalian Biochemistry)
             Diethylene glycol mono-Bu and mono-Et ethers are attractants of
             termites without direct contact with the termites. The
             termites used were: Rhinotermitidae,
             Heterotermes, Reticulitermes, Coptotermes, and
             others. 1,3-Propylene glycol is an attractant, but 1,2-propylene glycol
             is not, an indication of structure specificity. Decompn. of wood by
            basidiomycetes yielded cinnamaldehyde and 2-methyl-2-hepten-6-
             one, both attractants; p-hydroxybenzaldehyde and p-hydroxybenzoic acid
             were less attractive.
             ATTRACTANTS TERMITES; PHEROMONES INSECTS; GLYCOL ETHERS
       ST
             TERMITES; HYDROXYBENZALDEHYDE TERMITES; HEPTENONES
             TERMITES; TERMITES ATTRACTANTS
       IT
             Hormones
             RL: BIOL (Biological study)
                (exo-, of termites)
       IT
             Insect attractants
                (for termites)
       IT
             Termites
                (pheromones of)
       IT
             99-96-7, biological studies 104-55-2 110-93-0 111-90-0
             112-34-5 123-08-0 504-63-2
             RL: BIOL (Biological study)
                (as attractant of termites)
       L42
            ANSWER 15 OF 15 HCAPLUS COPYRIGHT 2002 ACS
       AN
             1954:23085 HCAPLUS
       DN ·
             48:23085
       OREF 48:4170g-h
       TI
             The insecticidal action of various perfumes on termites
       ΑU
       CS
             Natl. Taiwan Univ., Taipeh, Taiwan
       SO
             Formosan Sci. (1952), 6, 17-33
       DT
             Journal
       LA
             English
       CC
             15A (Pesticides and Crop-Control Agents)
             The time in which 10 workers of Odontotermes formosanus
             survived (in sec.): cinnamaldehyde, 18; cinnamic alc., 27; eugenol, 29; yellow camphor oil, 45; geraniol, 49; white oil, B, 60;
             artificial eucalyptus oil, 65; citronella oil, 75; safrole, 81; brown oil,
             84; linalool, 85; citronellal, 100; green oil, 107 (96% EtOH, 105). The
Etoliaseins, of the above perfumes were also tested.
```

ישיה בודר הההרוד בהב